

Дистрибьютор в России
Компания СЭЛКОМ
www.Radiodetali.com
E-mail: lm@radiodetali.com
+7 (495) 204-13-84

Инженерная поддержка, поставка образцов,
промышленных партий, создание складского запаса.

2021 Product Guide

AUTOMOTIVE
POWER MANAGEMENT
LED LIGHTING & DISPLAY DRIVER
INTERFACE
ANALOG & MIXED SIGNAL
STANDARD LOGIC



The Best Partner For Your Success

Creative Design for Semiconductors

SEMICONDUCTOR PRODUCTS

- AUTOMOTIVE
- POWER MANAGEMENT
- LED LIGHTING & DISPLAY DRIVER
- INTERFACE
- ANALOG & MIXED SIGNAL
- STANDARD LOGIC



2021

Table of Contents

Automotive	6
Automotive Motor Driver	6
Automotive PowerTrain	6
Automotive LDO	6
Automotive ICs	7
Automotive Communication	7
Automotive Digital Clock	7
Automotive LED module	8
Automotive OP AMP & Comparators	8
Power Management	9
Ground Fault Interrupters	9
Motor Controller	9
PWM & SMPS Controller	9
Power Factor Controller	9
Transistor	10
Transistor Array ICs	10
Chager ICs	10
IGBT Gate Driver	10
DC - DC Converter	10
Voltage Regulator	11
Low Dropout Voltage Regulators	11
Positive Voltage Regulators	11
Adjustable Voltage Regulators	11
Switching Voltage Regulators	12
Precision Low Voltage Reference	12
Voltage Detector	12
Reset ICs	13
Reset ICs (Reference Data)	13
LED Lighting & Display Driver	14
LED/LCD Display	14
LED Lighting	14

	Interface	15
	RS-232	15
	RS-485	15
	Transmitters & Receivers	15
	IR Receiver	15
	Analog & Mixed Signal	16
	Fire Detector	16
	Telephone ICs	16
	Telephone One - ChipSolution	16
	Pulse and Tone / Pulse Dialers	16
	Speaker Integrated Circuits	16
	Tone Telephone Ringers	16
	Operational Amplifier & Comparator	17
	Operational Amplifiers	17
	Comparators	17
	ICs for Audio Systems	18
	Timers	19
	Real Time Clock ICs	19
	Melody ICs	19
	Standard Logic	20
	IW4000B Series	20
	IN74HCXXX Series	22
	IN74HCTXXX Series	24
	IN74XXX Series	25
	IN74LSXXX Series	25

Automotive

Automotive Motor Driver

Device	Pin to Pin Compatibility	Function	Package
IK8508	TDA3629 (Similar)	Head Lamp Leveling Driver	PDSO-14
IK8509	IK ASIC OWN	Power Folding for Side Mirror	QFN-16
IL33091A*	MC33091A	High-Side TMOS Driver	DIP-8, SOP-8

Automotive Power Train

Device	Pin to Pin Compatibility	Function	Package
IK8001	IK ASIC OWN	Alternator Regulator with RVC Protocol	Chip, TO220-7L
IK8006	IK ASIC OWN	Alternator Regulator with Multi-Functions	Chip, TO220-7L
IK8011*	IK ASIC OWN	Active MOSFET Rectifier for Alternator	SOP-14

Automotive LDO

Device	Pin to Pin Compatibility	Function	Package
ILE4276	TLE4276	Low Dropout Voltage Regulator	TO-263-5 TO-252-5
ILE4264-2G	TLE4264-2G	Low-Drop Voltage Regulator (5V / 100mA)	SOT-223
ILE4266*	NCV4266	Low Drop Voltage Regulator (5V/100mA), On/Off	SOT-223-4
ILE4263	TLE4263	Low-Drop Voltage Regulator (5V / 200mA)	PDSOP-14
ILE4278	TLE4278	Low-Drop Voltage Regulator (5V / 400mA, 8.5V / 200mA)	PDSOP-14
ILE4250G	TLE4250G	Low-Drop Voltage Tracker (50mA)	TO-263-5
ILE4270G	TLE4270G	Low-Drop Voltage Regulator (5V / 550mA)	TO-263-5
ILE4275	TLE4275	Low Dropout Voltage Regulator (5V / 400mA)	TO-263-5 TO-252-5
ILE4279-4G	TLE4279-4G	Low-Drop Voltage Regulator (5V / 150mA)	PDSOP-14
IK4993*	L4993	Low-Drop Voltage Regulator (5V / 150mA)	SOP-8, SOP-20

* Under Development / Contact Sales Department

Automotive

Automotive ICs

Device	Pin to Pin Compatibility	Function	Package
IL33193	MC33193	Automotive Direction indicator RS=20mW , Fn=2.2, Duty Cycle (Normal Operation) 45~55%, Duty Cycle (One 21 W Lamp Defect) 35~45%, Defect Lamp Detector Threshold 42.5~56, RSS=220W	DIP-8, SOP-8
IL33193-03	U643B	Automotive Direction indicator RS=30mW, Fn=2.5, Duty Cycle (Normal Operation) 45~55%, Duty Cycle (One 21 W Lamp Defect) 35~45%, Defect Lamp Detector Threshold 75~95, RSS=220W,	DIP-8, SOP-8
IL33197A	MC33197A	Automotive Wash Wiper Timer Output Clamp Voltage ($I_{out}=20\text{Ma}$) 18~22V, Internally incorporated Zener diode 30	DIP-8, SOP-8
IK642B	U642B	Interval- and Wipe/ Wash Wiper Control IC Pre-Wash Delay 300ms	DIP-8, SOP-8
ILC555Q	LMC555	Automotive purpose Timer IC	SOP-8
IL6083	U6083B	PWM Power Control IC with Interference Suppression	DIP-8
IL8190	CS8190ENF16	Precision Air-Core Tach/Speedo Driver with Return to Zero	DIP-16, SOP-20
IL1055*		Two-channel ignition controller	SOP-16
IL1815*	LM1815	Adaptive Variable Reluctance Sensor Amplifier	DIP-14, SOP-14
IK8010	IK ASIC OWN	HID Lamp Driver	LQFP-48
IK8210	IK ASIC OWN	Power control IC for dark current monitoring	MSOP-8
IK8211	IK ASIC OWN	Dual Low side Level shifter IC for Low to High	MSOP-8
IK8212	IK ASIC OWN	Dual Low side Level shifter IC for High to Low	MSOP-8
IK8213	IK ASIC OWN	Dual High side Level shifter IC for Low to High	MSOP-8
IK8214	IK ASIC OWN	Dual High side Level shifter IC for High to Low	MSOP-8

Automotive Communication

Device	Pin to Pin Compatibility	Function	Package
IN2515	MCP2515	CAN Controller with SPI Interface	SOP-18, TSSOP-20
ILA82C251	PCA82C251	CAN Transceiver for 24V Systems	SOP-8

Automotive Digital Clock

Device	Pin to Pin Compatibility	Function	Package
IN7100	S5G5127B (KS5127B)	CMOS Automotive Digital Clock Circuit (DUTY : 1, 1/4, 1/8, 1/16)	DIP-40, MQFP-44

* Under Development / Contact Sales Department

Automotive

Automotive LED Module

Device	Pin to Pin Compatibility	Function	Package
IKM3004	IK ASIC OWN	Room Lamp module(10~18V), 3 LEDs in 1package	5.4mm X 5.0mm
IKM3005	IK ASIC OWN	Room Lamp module(8~18V) , 2 LEDs in 1package	5.4mm X 5.0mm
IKM300x*	IK ASIC OWN	LED module for Variable current	

Automotive OP AMP & Comparators

Device	Pin to Pin Compatibility	Function	Package
IL2902EDT/EN	NCV2902 BA2902	Quad Operational Amplifier	DIP-14, SOP-14
IL2903EDT/EN	NCV2903 BA2903	Dual Comparator	DIP-8, SOP-8
IL2904EDT/EN	NCV2904 BA2904	Dual Op rational Amplifier	DIP-8, SOP-8

* Under Development / Contact Sales Department

Power Management

Ground Fault Interrupter

Device	Pin to Pin Compatibility	Function	Package
IL7101N/D/DN/TSD	GL7101, KA2803	Ground Fault Interrupters Earth Leakage Current Detector	DIP-8, SOP-8 TSSOP-8, DFN-8
IK7102N/D	IK ASIC OWN	Ground Fault Interrupters Earth Leakage Current Detector	DIP-8, SOP-8
IK7104N/D	IK ASIC OWN	EMI Enhanced Ground Fault Interrupters	DIP-8, SOP-8
IL54123N/D	M54123	Ground Fault Interrupters Earth Leakage Current Detector	DIP-8, SOP-8

Motor Controller

Device	Pin to Pin Compatibility	Function	Package
IK6019AD	OWN	High-Voltage High-Current Stepper Motor Driver	SOP-16
IK6501SD	TB6551	3-Phase Full-Wave Sine-Wave PWM Brushless Motor Controller	SSOP-24
IK6502N/D/HD	TB6674	Stepper Motor Driver	DIP-16, SOP-16 HSOP-16*
IL33035N/DW	MC33035	Brushless DC Motor Controller	DIP-24, SOP-24

PWM & SMPS Controller

Device	Pin to Pin Compatibility	Function	Package
IL494N/D	TL494	Pulse-Width-Modulation Control Circuit	DIP-16, SOP-16
IL3842N/D	UC3842	Current Mode PWM Controller	DIP-8, SOP-8
IL3843N/D	UC3843	Current Mode PWM Controller	DIP-8, SOP-8
IL6083N	U6083B	PWM Control with Interference-Suppression	DIP-8
IL44608N*	MC44608	SMPS Controller	DIP-8

Power Factor Controller

Device	Pin to Pin Compatibility	Function	Package
IL33262N/D*	MC33262	Power Factor Controller ($T_A = -40 \dots +105^\circ\text{C}$)	DIP-8, SOP-8
IL34262N/D*	MC34262	Power Factor Controller ($T_A = 0 \dots +85^\circ\text{C}$)	DIP-8, SOP-8
IL6562N/D*	L6562	Power Factor Controller	DIP-8, SOP-8
ILA3354N*	TFA3354	IC for Electronic Ballast's	DIP-8

* Under Development / Contact Sales Department

Power Management

Transistor

Device	Pin to Pin Compatibility	Function	Package
SL1001ET/PT	B772	Audio Frequency Power Amplifier (PNP)	SOT-223, SOT-89
SL1002ET/PT	D882	Audio Frequency Power Amplifier (NPN)	SOT-223, SOT-89

Transistor Array ICs

Device	Pin to Pin Compatibility	Function	Package
ILN2003AN/AD ILN2004N/D	ULN2003A/04A TD62003A/04A KID65003/04	7CH High-Voltage High-Current Darlington Transistor Arrays	DIP-16, SOP-16
IK62083N/DW IK62084N/DW	ULN2803/04 TD62083/84 KID65083/84	8CH High-Voltage High-Current Darlington Transistor Arrays	DIP-18/20, SOP-18/20
IK62783N/D IK62784N/D	TD62783/84 KID65783/84	8CH High-Voltage Source Driver	DIP-18/20, SOP-18/20

Charger ICs

Device	Pin to Pin Compatibility	Function	Package
KL103N/D	TSM103	Dual Operational Amplifier and Voltage Reference	DIP-8, SOP-8
IK104*	IK ASIC OWN	Dual Operational Amplifier and Voltage Reference	DIP-8, SOP-8
IK3134/35QF	IK ASIC OWN	LDO with OVP for Battery Charger	Bare Chip

IGBT Gate Driver

Device	Pin to Pin Compatibility	Function	Package
IL33153N/D*	MC33153P	Single IGBT Gate Driver	DIP-8, SOP-8

DC/DC Converter

Device	Pin to Pin Compatibility	Function	Package
IK5302D	IK ASIC OWN	3A DC-DC Switching Voltage Regulator (Fixed 1MHz)	ESOP-8
IL34063AN/AD	MC34063	1.5A, DC-DC Converter	DIP-8, SOP-8
IL7660*	ICL7660	CMOS Voltage Converter	DIP-8, SOP-8
IL1583*	MP1583	3A, 23V, 385kHz Asynchronous Step-Down Converter	DIP-8, SOP-8
IL1591*	MP1591	2A, 32V, 330KHz Step-Down Converter	DIP-8, SOP-8
IL2307*	MP2307	3A, 23V, 340KHz Synchronous Rectified Step-Down Converter	DIP-8, SOP-8

* Under Development / Contact Sales Department

Power Management

Low Dropout Voltage Regulators

Device	Pin to Pin Compatibility	Output Voltage, V	Output Current, A	Output Voltage Tolerance, %	Tested Operating Junction Temp. Range, °C	Package
IL1117C-xx	AMS1117	1.2, 1.25(adj), 1.5, 1.8, 2.5, 2.85, 3.3, 5.0	1.0	± 2	Tj = - 40...+ 125	SOT-223, TO-252, SOT-89, SOT-23, TO-92
IL233-xxPT/ET*	OWN	1.25 (adj), 1.5, 1.8, 2.5, 2.85, 3.3, 5.0	0.5	± 2	Tj = - 40...+ 125	SOT-89, SOT-223
IL5219*	MIC5219	ADJ, 1.5, 1.8, 2.5, 3.3, 5.0	1.0	± 2	Tj = - 20...+ 125	Bare Chip
IL1950*	FAN1950	2.5	1.5	± 2.5	Tj = - 40...+ 125	Bare Chip
IL1951*	FAN1951	1.8	1.5	± 2.5	Tj = - 40...+ 125	Bare Chip
IL2931-xx*	LM2931Z-x	3.3, 5, 9	0.1	± 5	Tj = - 40...+ 125	TO-92, SOT-223
IL1084-xx*	LT1084	1.25 (adj), 1.8, 3.3, 5.0	5.0	± 2	Tj = - 40...+ 125	Bare Chip
IL1085-xx*	LT1085	1.2, 1.25(adj), 1.5, 1.8, 2.5, 2.85, 3.3, 3.6, 5.0	3.0	± 2	Tj = - 40...+ 125	Bare Chip
IL3480-xxLF/PT*	LM3480	3.3, 5.0	0.1	± 5	Tj = - 40...+ 125	TO-92, SOT-89

Positive Voltage Regulators

Device	Pin to Pin Compatibility	Output Voltage, V	Output Current, A	Output Voltage Tolerance, %	Tested Operating Junction Temp. Range, °C	Package
IL78xx*	MC78xx	5, 6, 8, 9, 10, 12, 15, 18, 24	1.0	± 5	Ta = -40...+125	TO-252, SOT-223, TO-263
IL78LxxLF/PT/DT	MC78Lxx	5, 6, 8, 9, 10, 12, 15, 18, 24	0.1	± 5	Ta = -40...+125	TO-92, SOT-89, SOP-8

Adjustable Voltage Regulators

Device	Pin to Pin Compatibility	Output Voltage, V	Output Current, A	Output Voltage Tolerance, %	Tested Operating Junction Temp. Range, °C	Package
IL317D0T/D2T	LM317	ADJ	1.5	± 5	Ta = -40...+125	TO-252, TO-263
IL317L-LF/ET /PT/DT	LM317L	ADJ	0.1	± 5	Ta = -40...+125	TO-92, SOT-223, SOT-89, SOP-8

* Under Development / Contact Sales Department

Power Management

Switching Voltage Regulators

Device	Pin to Pin Compatibility	Output Voltage, V	Output Current, A	Output Voltage Tolerance, %	Tested Operating Junction Temp. Range, °C	Package
IL2576-xx KB/KQ/D2T	LM2576-xx	3.3, 5.0, 12, 15, ADJ	3.0	± 2	Ta=-40...+125	TO-220-5L TO-220SD-5L TO-263-5L
IL2576HV-xx KB/KQ/D2T (High/Voltage)	LM2576HV	3.3, 5.0, 12, 15, ADJ	3.0	± 2	Ta=-40...+125	TO-220-5L TO-220SD-5L TO-263-5L
IL2596-xx KB/KQ/D2T	LM2596-xx	3.3, 5.0, 12, ADJ	3.0	± 2	Ta=-40...+125	TO-220-5L TO-220SD-5L TO-263-5L

Precision Low Voltage Reference

Device	Pin to Pin Compatibility	Function	Package
TL431Z-LF/ST/PT/DT	TL431	Programmable precision references (Vref 2.5V)	TO-92, SOT-23 SOT-89, SOP-8

Voltage Detector

Device	Pin to Pin Compatibility	Detecting Voltage, V	Input Voltage, V	Output Current, A	Detecting Voltage Tolerance, %	Tested Operating Junction Temp. Range, °C	Package
IL75XXL F/ ST/PT	HT70xx	2.2, 2.4, 2.55, 2.7, 2.8, 3.3, 3.9, 4.2, 4.7, 5.0	1.2~5.5	0.03	2.0	Ta= -10...+70	TO-92, SOT-23, SOT-89
IL70XXL F/ PT	KIA70xx	2.1, 2.3, 2.7, 2.9, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.9, 4.2, 4.5	-0.3~15	0.02	2.0	Ta= -10...+70	TO-92, SOT-89

* Under Development / Contact Sales Department

Power Management

Reset ICs

Device	Pin to Pin Compatibility	Function	Package
IN1232N/D	DS1232	Low Power Micro Monitor Chip	DIP-8, SOP-8
IN1705N/D* IN1705RN/RD*	DS1705	Micro Monitor (RN,RD – Push-Pull Reset Output)	DIP-8, SOP-8
IN1706N/D* IN1706SRN/SRD*	DS1706S	Micro Monitor (SRN, SRD – Push-Pull Reset Output)	DIP-8, SOP-8
IN1708N/D*	DS1708	Micro Monitor Chip	DIP-8, SOP-8

Reset ICs (Reference Data)

Parameter	IN1232N IN1232D	IN1705N IN1705D	IN1705RN IN1705RD	IN1706N IN1706D	IN1706RN IN1706RD	IN1708N IN1708D
Supply Voltage, V	4.5~5.5	1.2~5.5	1.2~5.5	1.2~5.5	1.2~5.5	1.2~5.5
Nominal Reset Threshold, V	4.37	4.65	4.65	2.93	2.93	4.40
Min Reset Pulse Width, ms	250	100	100	130	130	130
Push-Pull RESET Output	L, H	L	H	L	H	L, H
Watchdog	•	•	•	•	•	
Nominal Watchdog Timeout Period (s), if available	0.15	1.6	1.6	1.6	1.6	
Separate Watchdog Output		•	•	•	•	
Power-Fail Comparator/ Reset Input		•	•	•	•	•
Manual-Reset Input	•	•	•	•	•	•
Supply Current in Operating Mode, uA, max (typ)	2000 (500)	350 (100)	350 (100)	50	50	50
Operating Temperature, °C	-10 ~ +70			-40 ~ +85		
Package	DIP-8 SOP-8	DIP-8 SOP-8	DIP-8 SOP-8	DIP-8 SOP-8	DIP-8 SOP-8	DIP-8 SOP-8

* Under Development / Contact Sales Department

Lighting & Display Driver

LED/LCD Display

Device	Pin to Pin Compatibility	Function	Package
IK2102	Own	LED Driver with Key Scan Function, (Common Cathode Type) 4 digits x13 segments to 7 digits x 10 segments	SOP-28
IK2108	Own	LED Display Driver (Common Anode Type) 8 Columns x 14 Rows to 12 Columns x 10 Rows	SOP-32
IK2112*	ADT8700	LED Driver with Key Scan Function (Common Anode Type) 4 digits x 14 segments to 8 digits x 14 segments	LQFP-32 SOP-28

LED Lighting

Device	Pin to Pin Compatibility	Function	Package
IL9910	HV9910	Universal High Brightness LED Driver	SOP-8
IL9961	HV9961	High Stability LED Driver	SOP-8
IK402U	BCR402U	CONSTANT CURRENT LINEAR LED DRIVER (20mA)	SOT-23-6
IL9921 IL9922 IL9923*	HV9921 HV9922 HV9923	3-PIN Switch-Mode LED Lamp Driver ICs With Build-in MOSFET	TO-92, SOT-89
IK3004	Own	22mA Current Limit IC	SOT-23-5
IK2306*	Own	60mA Switch-Mode LED Driver IC	SOT-89
IK2312*	Own	120mA Switch-Mode LED Driver IC	TO-252
IL9967*	HV9967	LED driver IC with built in MOSFET, 8V ~ 60V Input Voltage	SOP-8

* Under Development / Contact Sales Department

Interface

RS-232

Device	Pin to Pin Compatibility	Function	Package
ILX3232N/D/TSD	MAX3232	Drivers/Receiver (RS-232) (2/2) (Vcc = 3.3 to 5.5V)	DIP-16, SOP-16, TSSOP-16
ILX232N/D	MAX232	Drivers/Receiver (RS-232) (2/2) (Vcc = 5V)	DIP-16, SOP-16
ILX3226N/D/TSD*	MAX3226	1µA Supply Current, 3.0V to 5.5V, 1Mbps RS-232 Transceivers with Auto-Shutdown Plus	DIP-16, SOP-16, TSSOP-16
IN75232N/DW*	CD75232	RS-232-D Interface 1 Chip IC	DIP-20, SOP-20

RS-485

Device	Pin to Pin Compatibility	Function	Package
ILX485N/D	MAX485	Drivers/Receiver (RS-485) - 5.0V	DIP-8, SOP-8
ILX3485N/D	MAX3485	Drivers/Receiver (RS-485) - 3.3V	DIP-8, SOP-8
ILX75176N/D	SN75176	Drivers/Receiver (RS-485) - 5.0V	DIP-8, SOP-8
ILX3085N/D	MAX3085E	Drivers/Receiver (RS-485) - 5.0V	DIP-8, SOP-8

Transmitters & Receivers

Device	Pin to Pin Compatibility	Function	Package
IN1488N/D	MC1488D	4-Channel Transmitter for Serial Interface	DIP-14, SOP-14
IN1489AN/AD	MC1489ADM	4-Channel Receiver for Serial Interface	DIP-14, SOP-14
INS82C50AN/D*	INS82C50A	Microcontroller for Serial Interface	DIP-40
IN82C55AN/BN*	82C55A	Programmable Peripheral Interface	DIP-40
INF8574AN/AD*	PCF8574	Remote 8-Bit I/O Expander for I2C-Bus	DIP-16, SOP-16

IR Receiver

Device	Pin to Pin Compatibility	Function	Package
IK3103	ADT2580	Low Current Receiver IC	Bare Chip

* Under Development / Contact Sales Department

Analog & Mixed Signal

Fire Detector

Device	Pin to Pin Compatibility	Function	Package
IK7002/A	Own	OP AMP for Fire Detector	SOT-23-5
IK7003A	Own	Mono Class-D Speaker Amplifier	SOP-8
IK7008SD	Own	Photoelectric Smoke Detector Processor	TSSOP-24

Telephone One-Chip Solution

Device	Pin to Pin Compatibility	Function	Package
IL2533AN/ADW	AS2533	Multi-Standard CMOS Signal Chip Telephone IC with Dual Soft Clipping	DIP-28, SOP-28
IL2534R	AS2534R	Multi-Standard CMOS Signal Chip Telephone IC	DIP-28, SOP-28

Pulse and Tone/Pulse Dialers

Device	Pin to Pin Compatibility	Function	Package
IL91214AN/AD	UMS91214	Tone/Pulse Dialer with Flash Function	DIP-16, SOP-16 DIP-18, SOP-18

Speaker Integrated Circuits

Device	Pin to Pin Compatibility	Function	Package
IL34118N/DW	MC34118 U4082	Voice Switched Speakerphone Circuit	DIP-28, SOP-28
IL34119N/D	MC34119 U4083	Telephone Audio Amplifier	DIP-8, SOP-8
IL5009N/D	DBL5009	Speaker Amplifier	DIP-8, SOP-8
ILA1062N/D ILA1062AN/AD	TEA1062 TEA1062A	Low Voltage Transmission Circuit with Dialer Interface	DIP-16, SOP-16
IL6965N/D	GL6965	Telephone Speech Network with Dialer Interface	DIP-20, SOP-20
KL34018DW	MC34018	Voice Switched Speakerphone Circuit	SOP-28

Tone Telephone Ringers

Device	Pin to Pin Compatibility	Function	Package
IL2418N/D	KA2418 L1240	Two-Tone Telephone Ringer with Diode Bridge	DIP-8, SOP-8
IL6840N/D	GL6840A GL6840B	Two-Tone Telephone Ringer with Diode Bridge	DIP-8, SOP-8

* Under Development / Contact Sales Department

Analog & Mixed Signal

Operational Amplifiers

Device	Pin to Pin Compatibility	Function	Package
Dual OP Amp			
IL358N/D IL2904N/D	LM358 LM2904	Dual Operational Amplifier	DIP-8, SOP-8
IL4558N/D	LM4558	Dual Operational Amplifier	DIP-8, SOP-8
IL1458N/D*	NJM1458	Dual General Purpose Operational amplifier	DIP-8, SOP-8
IL4560N/D*	NJM4560	Dual Operational Amplifier	DIP-8, SOP-8
IL4580N/D*	NJM4580, LM833	Dual Operational Amplifier	DIP-8, SOP-8
Quad OP Amp			
IL324N/D IL2902N/D	LM324 LM2902	Quad Operational Amplifier	DIP-14, SOP-14
Programmable Operational Amplifier			
IL1776CN/CAN* IL1776CD/CAD*	MC1776C	Micro-power Programmable Operational Amplifier CAN, CAD (T _A = -40° ~ 85°C)	DIP-8, SOP-8
Precision Operational Amplifier			
IL9002N/D*	OP-07A (Similar)	Precision Operational Amplifier	DIP-8, SOP-8
IL9002AN/D*	OP-07 (Similar)	Precision Operational Amplifier	DIP-8, SOP-8

Comparators

Device	Pin to Pin Compatibility	Function	Package
IL393N/D IL2903N/D	LM393 LM2903	Dual Comparator	DIP-8, SOP-8
IL339N/D IL2901N/D	LM339 LM2901	Quad Comparator	DIP-14, SOP-14
IL311N/D	LM311	Single Comparator	DIP-8, SOP-8

* Under Development / Contact Sales Department

Analog & Mixed Signal

ICs for Audio Systems

IC's Class	Device	Pin to Pin Compatibility	Supply Voltage, V	Power, W	Gain, dB	Load Resistance, Ohm	Package
Low Power	IL34119N/ D <i>Mono</i>	MC34119N	2...16	0.25	80	8; 16; 32	DIP-8,SOP-8
	IL386N/ D <i>Mono</i>	LM386	4.0...12.0	1.0	26... 42	8.0 (4.0; 16)	DIP-8, SOP-8
	ILA7050N* <i>Mono/Stereo BTL</i>	TDA7050	1.6...6.0	1x0.140 2x0.075	32 (mono) 26 (stereo)	32 (16; 64)	DIP-8
	ILA7052N <i>Mono</i>	TDA7052	3.0...18.0	1.2	38... 40	8.0	DIP-8
	ILA7053N* <i>Stereo BTL</i>	TDA7053	3.0...18.0	2x1.0	38... 40	8.0 (16; 25)	DIP-16
	KL7496LN <i>Stereo BTL with DC Control</i>	TDA7496L	10.0...18.0	2x2.0	30	8.0	DIP-20
Middle Power	ILA7056 <i>Mono</i>	TDA7056	3.0...18.0	3	39... 42	16.0	SOT110-1
	ILA7056B <i>Mono with DC Control</i>	TDA7056B	4.5...18.0	5.0	39.5... 41.5	16.0	SOT 110-1
Large Power	ILA1519B*, B1,B1Q <i>Mono/Stereo</i>	TDA1519B	6.0...18.0	12 (mono) 2x6 (stereo)	45... 47 (mono) 39... 41 (stereo)	4.0 8.0	SIL-9P (SOT110-1, SOT131-2, SOT157-2)

Device	Pin to Pin Compatibility	Function	Package
KL6270N/D*	SL6270	Audio amplifier and Voice operated Gain adjusting device(VOGAD)	DIP-8, SOP-8
KL3340N/D*	MC3340	Electronic Attenuator : DC operated Volume Control	DIP-8, SOP-8
KL2822MN/D*	TDA2822M	Dual Low Voltage Power Amplifier – Mono/Stereo Audio Amplifier	DIP-8, SOP-8
IL5009N/D	DBL5009	Speaker Amplifier	DIP-8, SOP-8
IK7437Q*	TDA7437	Digitally Controlled Audio Processor 4 Speaker Attenuator	QFP-44

* Under Development / Contact Sales Department

Analog & Mixed Signal

Timers

Device	Pin to Pin Compatibility	Function	Package
ILC555N/D	LM555	Timer	DIP-8, SOP-8
ILC556N/D	LM556	Dual Timer	DIP-14, SOP-14
ILC558N/D*	GLC558	Quad Timer	DIP-16, SOP-16
INA8583N*	PCF8583P	Clock Calendar with 256x8 Bit Static RAM with I ² C Bus	DIP-8

Real Time Clock ICs

Device	Pin to Pin Compatibility	Function	Package
IN1307N/D	DS1307	64x8, Serial, I ² C Real-Time Clock	DIP-8, SOP-8
IN1363N/D/TSD	PCF8563, DS1208	Real-time clock/calendar with X-tal	DIP-8, SOP-8, TSSOP-8
IN141618N*	MC141618	Real Time Clock Plus RAM	DIP-24

Melody ICs

Part	Pin to Pin Compatibility	Function	Features	Package
BT8040N	BXA4240	Melody IC	- Two Sound Source with Envelope (CR envelope) - Maximum four Sound Source 3~5V operating voltage - Can Drive an 8ohm Dynamic Loudspeaker if provided Externally with a transistor	DIP-16

Part (Pin to Pin Compatibility)	Maximum Number of Tunes (Number of Notes)	V _{DD} , V	I _{DD} , μA In Mode of		Package
			Tune Play	Stop	
BT8028/LF/N	16 (64)	1.3 (3.3)	60	0.5	Bare chip TO-92, DIP-8
BT8031/LF/N	2(127)	1.3 (3.3)	1	0.5	Bare chip TO-92, DIP-8

* Under Development / Contact Sales Department

Standard Logic

IW4000B Series

CMOS

Device	Pin to Pin Compatibility	Function	Package
IW4001BN/BD	CD4001BN/BD	Quad 2-Input NOR Gate	DIP-14, SOP-14
IW4002BN/BD	CD4002BN/BD	Dual 4-Input NOR Gate	DIP-14, SOP-14
IW4006BN/BD	CD4006BN/BD	18-Bit Static Shift Register	DIP-14, SOP-14
IW4008BN/BD	CD4008BN/BD	4-Bit Full Adder	DIP-16, SOP-16
IW4011BN/BD	CD4011BN/BD	Quad 2-Input NAND Gate	DIP-14, SOP-14
IW4012BN/BD	CD4012BN/BD	Dual 4-Input NAND Gate	DIP-14, SOP-14
IW4013BN/BD	CD4013BN/BD	Dual D-Type Flip-Flop	DIP-14, SOP-14
IW4015BN/BD	CD4015BN/BD	Dual 4-Bit Static Shift Register	DIP-16, SOP-16
IW4016BN/BD	CD4016BN/BD	Quad Bilateral Switch	DIP-14, SOP-14
IW4017BN/BD	CD4017BN/BD	Decade Counter/Driver	DIP-16, SOP-16
IW4018BN/BD	CD4018BN/BD	Presettable Divide-by-N Counter	DIP-16, SOP-16
IW4019BN/BD	CD4019BN/BD	Quad AND-OR Gate	DIP-16, SOP-16
IW4020BN/BD	CD4020BN/BD	14-Bit Binary Divide Counter	DIP-16, SOP-16
IW4021BN/BD	CD4021BN/BD	8-Bit Shift Register	DIP-16, SOP-16
IW4022BN/BD	CD4022BN/BD	Divide-by-8 Counter/Divider	DIP-16, SOP-16
IW4023BN/BD	CD4023BN/BD	Triple 3-Input NAND Gate	DIP-14, SOP-14
IW4024BN. BD	CD4024BN, BD	Stage Ripple-Carry Binary Counter/.Divider	DIP-14, SOP-14
IW4025BN/BD	CD4025BN/BD	Triple 3-Input NOR Gate	DIP-14, SOP-14
IW4027BN/BD	CD4027BN/BD	Dual J-K Flip-Flop	DIP-16, SOP-16
IW4028BN/BD	CD4028BN/BD	BCD-to-Decimal Decoder	DIP-16, SOP-16
IW4029BN/BD	CD4029BN/BD	Binary or BCD-Decade Counter	DIP-16, SOP-16
IW4030BN/BD	CD4030BN/BD	Quad Exclusive-OR Gate	DIP-14, SOP-14
IW4034BN/BDW	CD4034BN/BD	8-Bit Shift Register	DIP-24, SOP-24
IW4035BN/BD	CD4035BN/BD	4-Bit Parallel-In/Parallel-Out Shift Register	DIP-16, SOP-16
IW4040BN/BD	CD4040BN/BD	12-Bit Binary Counter	DIP-16, SOP-16
IW4042BN/BD	CD4042BN/BD	Quad Clocked D-Latch	DIP-16, SOP-16
IW4043BN/BD	CD4043BN/BD	Quad NOR R-S Latch (3-State)	DIP-16, SOP-16
IW4049BN/BD	CD4049BN/BD	Hex Buffer/Converter	DIP-16, SOP-16
IW4050BN/BD	CD4050BN/BD	Hex Buffer/Converter	DIP-16, SOP-16
IW4051BN/BD	CD4051BN/BD	8-Channel Analog Multiplexer/Demultiplexer	DIP-16, SOP-16
IW4052BN/BD	CD4052BN/BD	Dual 4-Channel Analog Multiplexer/Demultiplexer	DIP-16, SOP-16
IW4053BN/BD	CD4053BN/BD	Triple 2-Channel Analog Multiplexer/Demultiplexer	DIP-16, SOP-16
IW4059BN/BDW	CD4059BN/BD	Programmable Counter	DIP-24, SOP-24
IW4060BN/BD	CD4060BN/BD	14-Bit Binary Divide/ Counter	DIP-16, SOP-16
IW4066BN/BD	CD4066BN/BD	Quad Bilateral Switch	DIP-14, SOP-14
IW4068BN/BD	CD4068BN/BD	8-Input NAND Gate	DIP-14, SOP-14
IW4069UBN/UBD	CD4069UBN/UBD	Hex Inverter	DIP-14, SOP-14
IW4070BN/BD	CD4070BN/BD	Quad Exclusive-OR Gate	DIP-14, SOP-14
IW4071BN/BD	CD4071BN/BD	Quad 2-Input OR Gate	DIP-14, SOP-14
IW4072BN/BD	CD4072BN/BD	Dual 4-Input OR Gate	DIP-14, SOP-14
IW4073BN/BD	CD4073BN/BD	Triple 3-Input AND Gate	DIP-14, SOP-14
IW4075BN/BD	CD4075BN/BD	Triple 3-Input OR Gate	DIP-14, SOP-14
IW4077BN/BD	CD4077BN/BD	Quad Exclusive-NOR Gate	DIP-14, SOP-14
IW4081BN/BD	CD4081BN/BD	Quad 2-Input AND Gate	DIP-14, SOP-14
IW4093BN/BD	CD4093BN/BD	Quad 2-Input NAND Schmitt Trigger	DIP-14, SOP-14
IW4098BN/BD	CD4098BN/BD	Dual Monostable Multi vibrator	DIP-16, SOP-16
IW40107BN/BD	CD40107BN/BD	Dual 2-Input NAND Buffer/Driver	DIP-14, SOP-14
IW4502BN/BD	CD4502BN/BD	Hex Inverter/Buffer	DIP-16, SOP-16

Standard Logic

IW4000B Series

CMOS

Device	Pin to Pin Compatibility	Function	Package
IW4503BN/BD	CD4503BN/BD	Hex Buffer	DIP-16, SOP-16
IW4511BN/BD	CD4511BN/BD	BCD-to-7-Segment Latch Decoder/Driver	DIP-16, SOP-16
IW4516BN/BD	CD4516BN/BD	Presetable Binary Up/Down Counter	DIP-16, SOP-16
IW4518BN/BD	CD4518BN/BD	Dual BCD Up Counter	DIP-16, SOP-16
IW4519BN/BD	CD4519BN/BD	Quad AND/OR Select Gate	DIP-16, SOP-16
IW4520BN/BD	CD4520BN/BD	Dual Binary Up Counter	DIP-16, SOP-16
IW4528BN/BD	CD4528BN/BD	Dual Monostable Multi vibrator	DIP-16, SOP-16
IW4531BN/BD	NEF4531BN/BD	12-Bit Checker Tree	DIP-16, SOP-16
IW4541BN/BD	CD4541BN/BD	Programmable Timer	DIP-14, SOP-14
IW4543BN/BD	CD4543BN/BD	BCD-to-7-Segment Latch/Decoder/Driver for Liquid-Crystal Display	DIP-16, SOP-16
IW4585BN/BD	CD4585BN/BD	4-Bit Comparator	DIP-16, SOP-16

Standard Logic

IN74HCXXXX Series

CMOS

Device	Pin to Pin Compatibility	Function	Package
IN74HC00AN/AD	MC74HC00AN/AD	Quad 2-Input NAND Gate	DIP-14, SOP-14
IN74HC02AN/AD	MC74HC02AN/AD	Quad 2-Input NOR Gate	DIP-14, SOP-14
IN74HC03AN/AD	MC74HC03AN/AD	Quad 2-Input NAND Gate, OC	DIP-14, SOP-14
IN74HC04AN/AD	MC74HC04AN/AD	Hex Inverter	DIP-14, SOP-14
IN74HCU04AN/AD	own	Unbuffered Hex inverter	DIP-14, SOP-14
IN74HC05AN/AD	SN74HC05AN/AD	Hex Inverter, OC	DIP-14, SOP-14
IN74HC08AN/AD	MC74HC08AN/AD	Quad 2-Input AND Gate	DIP-14, SOP-14
IN74HC10AN/AD	MC74HC10AN/AD	Triple 3-Input NAND Gate	DIP-14, SOP-14
IN74HC11AN/AD	MC74HC11AN/AD	Triple 3-Input AND Gate	DIP-14, SOP-14
IN74HC14AN/AD	MC74HC14AN/AD	Hex Schmitt-Trigger Inverter	DIP-14, SOP-14
IN74HC20AN/AD	MC74HC20AN/AD	Dual 4-Input NAND Gate	DIP-14, SOP-14
IN74HC21AN/AD	MC74HC21AN/AD	Dual 4-Input Positive-AND Gate	DIP-14, SOP-14
IN74HC22AN/AD	MC74HC22AN/AD	Dual 4-Input Positive-NAND Gate, OC	DIP-14, SOP-14
IN74HC27AN/AD	MC74HC27AN/AD	Triple 3-Input Positive-NOR Gate	DIP-14, SOP-14
IN74HC30AN/AD	MC74HC30AN/AD	8-Input Positive-NAND Gate	DIP-14, SOP-14
IN74HC32AN/AD	MC74HC32AN/AD	Quad 2-Input OR Gate	DIP-14, SOP-14
IN74HC74AN/AD	MC74HC74AN/AD	Dual D-Type Flip-Flop	DIP-14, SOP-14
IN74HC75AN/AD	MC74HC75AN/AD	Quad Bistable Latch	DIP-16, SOP-16
IN74HC85AN/AD	MC74HC85AN/AD	4-Bit Magnitude Comparator	DIP-16, SOP-16
IN74HC86AN/AD	MC74HC86AN/AD	Quad 2-Input Exclusive-OR Gate	DIP-14, SOP-14
IN74HC109AN/AD	MC74HC109AN/AD	Dual J-K Positive-Edge-Triggered Flip-Flop	DIP-16, SOP-16
IN74HC112AN/AD	MC74HC112AN/AD	Dual J-K Negative-Edge-Triggered Flip-Flop	DIP-16, SOP-16
IN74HC123AN/AD	MC74HC123AN/AD	Dual Monostable Multi vibrator with Reset	DIP-16, SOP-16
IN74HC125AN/AD	MC74HC125AN/AD	Quad 3-State Buffer	DIP-14, SOP-14
IN74HC132AN/AD	MC74HC132AN/AD	Quad 2-Input NAND Schmitt-Trigger Inverter	DIP-14, SOP-14
IN74HC138AN/AD	MC74HC138AN/AD	3-8 Decoder/Demultiplexer	DIP-16, SOP-16
IN74HC139AN/AD	MC74HC139AN/AD	Dual 2-4 Decoder/Demultiplexer	DIP-16, SOP-16
IN74HC151AN/AD	MC74HC151AN/AD	8-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74HC153AN/AD	MC74HC153AN/AD	Dual 4-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74HC154AN/ADW	MC74HC154AN/ADW	4-16 Decoder/Demultiplexer (3-State)	DIP-24, SOP-24
IN74HC155AN/AD	MM74HC155AN/AD	Dual 2-4 Decoder/Demultiplexer	DIP-16, SOP-16
IN74HC157AN/AD	MC74HC157AN/AD	Quad 2-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74HC158AN/AD	MC74HC158AN/AD	Quad 2-1 Data Selector/Multiplexer, INV	DIP-16, SOP-16
IN74HC161AN/AD	MC74HC161AN/AD	4-Bit Synchronous Binary Counter, Asynchronous Reset	DIP-16, SOP-16
IN74HC163AN/AD	MC74HC163AN/AD	4-Bit Synchronous Binary Counter, Synchronous Reset	DIP-16, SOP-16
IN74HC164AN/AD	MC74HC164AN/AD	8-Bit Serial-In Parallel-Out Shift Register	DIP-14, SOP-14
IN74HC165AN/AD	MC74HC165AN/AD	8-Bit Parallel-In Serial-Out Shift Register	DIP-16, SOP-16
IN74HC166AN/AD	CD74HC166AN/AD	8-Bit Parallel-In Serial-Out Shift Register	DIP-16, SOP-16
IN74HC174AN/AD	MC74HC174AN/AD	Hex D-Type Flip-Flop	DIP-16, SOP-16
IN74HC175AN/AD	MC74HC175AN/AD	Quad D-Type Flip-Flop	DIP-16, SOP-16
IN74HC192AN/AD	CD74HC192AN/AD	Synchronous Decade Up/Down Counter	DIP-16, SOP-16
IN74HC193AN/AD	CD74HC193AN/AD	4-Bit Synchronous Binary Up/Down Counter	DIP-16, SOP-16
IN74HC221AN/AD	CD74HC221AN/AD	Dual Monostable Multi vibrator with Reset	DIP-16, SOP-16
IN74HC240AN/ADW	MC74HC240AN/ADW	Octal Buffer/Line Driver, INV (3-State)	DIP-20, SOP-20
IN74HC241AN/ADW	MC74HC241AN/ADW	Octal Buffer/Line Driver, NINV (3-State)	DIP-20, SOP-20

Standard Logic

IN74HCXXXX Series

CMOS

Device	Pin to Pin Compatibility	Function	Package
IN74HC244AN/ADW	MC74HC244AN/AD	Octal Buffer/Line Driver NINV (3-State)	DIP-20, SOP-20
IN74HC245AN/ADW	MC74HC245AN/AD	Octal Bus Transceiver, NINV (3-State)	DIP-20, SOP-20
IN74HC251AN/AD	MC74HC251AN/AD	8-I Data Selector/Multiplexer (3-State)	DIP-16, SOP-16
IN74HC253AN/AD	MC74HC253AN/AD	Dual 4-1 Data Selector/Multiplexer, NINV (3-State)	DIP-16, SOP-16
IN74HC257AN/AD	MC74HC257AN/AD	Quad 2-1 Data Selector/Multiplexer, NINV (3-State)	DIP-16, SOP-16
IN74HC258AN/AD	CD74HC258AN/AD	Quad 2-1 Data Selector/Multiplexer, INV (3-State)	DIP-16, SOP-16
IN74HC273AN/ADW	MC74HC273AN/AD	Octal D-Type Flip-Flop	DIP-20, SOP-20
IN74HC279AN/AD	MC74HC279AN/AD	Quad Set/Reset Latch	DIP-16, SOP-16
IN74HC283AN/AD	CD74HC283AN/AD	4-Bit Full Adder	DIP-16, SOP-16
IN74HC299AN/ADW	MC74HC299AN/AD	8-Bit Universal Shift/Storage Register (3-State)	DIP-20, SOP-20
IN74HC323AN/ADW	MC74HC323AN/AD	8-Bit Universal Shift/Storage Register (3-State)	DIP-20, SOP-20
IN74HC365AN/AD	MC74HC365AN/AD	Hex Buffer/Line Driver (3-State)	DIP-16, SOP-16
IN74HC367AN/AD	MC74HC367AN/AD	Hex Buffer/Line Driver (3-State)	DIP-16, SOP-16
IN74HC373AN/ADW	MC74HC373AN/AD	Octal D-Type Latch (3-State)	DIP-20, SOP-20
IN74HC374AN/ADW	MC74HC374AN/AD	Octal D-Type Flip-Flop (3-State)	DIP-20, SOP-20
IN74HC393AN/AD	MC74HC393AN/AD	Dual 4-Bit Binary Counter	DIP-14, SOP-14
IN74HC533AN/ADW	MC74HC533AN/AD	Octal D-Type Latch, INV (3-State)	DIP-20, SOP-20
IN74HC534AN/ADW	MC74HC534AN/AD	Octal D-Type Flip-Flop, NINV (3-State)	DIP-20, SOP-20
IN74HC573AN/ADW	MC74HC573AN/AD	Octal Transparent Latch (3-State)	DIP-20, SOP-20
IN74HC574AN/ADW	MC74HC574AN/AD	Octal D-Type Flip-Flop, NINV (3-State)	DIP-20, SOP-20
IN74HC595AN/AD	MC74HC595AN/AD	8-Bit Shift Register with Output Latch	DIP-16, SOP-16
IN74HC597AN/AD	MC74HC597AN/AD	8-Bit Shift Register with Input Latch	DIP-16, SOP-16
IN74HC620AN/ADW	SN74HC620AN/AD	Octal Bidirectional Bus Transceiver, INV	DIP-20, SOP-20
IN74HC623AN/ADW	SN74HC623AN/AD	Octal Bidirectional Bus Transceiver, NINV	DIP-20, SOP-20
IN74HC640AN/ADW	MC74HC640AN/AD	Octal Bus Transceiver (3-State)	DIP-20, SOP-20
IN74HC651AN/ADW	CD74HC651AN/AD	Octal Bus Transceiver/Register (3-State)	DIP-24, SOP-24
IN74HC652AN/ADW	CD74HC652AN/AD	Octal Bus Transceiver/Register, NINV (3-State)	DIP-24, SOP-24
IN74HC874AN/ADW	own	Dual 4-Bit D-Type Flip Flop	DIP-24, SOP-24
IN74HC4015AN/AD	MC74HC4015AN/AD	Dual 4-Bit Static Shift Register	DIP-16, SOP-16
IN74HC4046AN/AD	MC74HC4046AN/AD	Phase-Locked Loop	DIP-16, SOP-16
IN74HC4051AN/ADW	MC74HC4051AN/AD	8-Channel Analog Multiplexer/Demultiplexer	DIP-16, SOP-16
IN74HC4052AN/ADW	MC74HC4052AN/AD	Dual 4-Channel Analog Multiplexer/Demultiplexer	DIP-16, SOP-16
IN74HC4053AN/ADW	MC74HC4053AN/AD	Triple 2-Channel Analog Multiplexer/Demultiplexer	DIP-16, SOP-16
IN74HC4060AN/ADW	SN74HC4060AN/ADW	14-Stage Asynchronous Binary Counters and Oscillators	DIP-16, SOP-16
IN74HC4094AN/AD	CD74HC4094AN/AD	8-Bit Shift and Bus Register	DIP-16, SOP-16

Standard Logic

IN74HCTXXX Series

CMOS

Device	Pin to Pin Compatibility	Function	Package
IN74HCT00AN/AD	MC74HCT00AN/AD	Quad 2-Input NAND Gate	DIP-14, SOP-14
IN74HCT02AN/AD	MC74HCT02AN/AD	Quad 2-Input NOR Gate	DIP-14, SOP-14
IN74HCT04AN/AD	MC74HCT04AN/AD	Hex Inverter	DIP-14, SOP-14
IN74HCT08AN/AD	MC74HCT08AN/AD	Quad 2-Input AND Gate	DIP-14, SOP-14
IN74HCT10AN/AD	MC74HCT10AN/AD	Triple 3-Input NAND Gate	DIP-14, SOP-14
IN74HCT14AN/AD	MC74HCT14AN/AD	Hex Schmitt-Trigger Inverter	DIP-14, SOP-14
IN74HCT20AN/AD	MC74HCT20AN/AD	Dual 4-Input NAND Gate	DIP-14, SOP-14
IN74HCT21AN/AD	MC74HCT21AN/AD	Dual 4-Input Positive-AND Gate	DIP-14, SOP-14
IN74HCT22AN/AD	MC74HCT22AN/AD	Dual 4-Input Positive-NAND Gate, OC	DIP-14, SOP-14
IN74HCT27AN/AD	MC74HCT27AN/AD	Triple 3-Input Positive-NOR Gate	DIP-14, SOP-14
IN74HCT30AN/AD	MC74HCT30AN/AD	8-Input Positive-NAND Gate	DIP-14, SOP-14
IN74HCT32AN/AD	MC74HCT32AN/AD	Quad 2-Input OR Gate	DIP-14, SOP-14
IN74HCT74AN/AD	MC74HCT74AN/AD	Dual D-Type Flip-Flop	DIP-14, SOP-14
IN74HCT85AN/AD	MC74HCT85AN/AD	4-Bit Magnitude Comparator	DIP-16, SOP-16
IN74HCT86AN/AD	MC74HCT86AN/AD	Quad 2-Input Exclusive-OR Gate	DIP-14, SOP-14
IN74HCT109AN/AD	MC74HCT109AN/AD	Dual J-K Positive-Edge-Triggered Flip-Flop	DIP-16, SOP-16
IN74HCT125AN/AD	MC74HCT125AN/AD	Quad 3-State Buffer	DIP-14, SOP-14
IN74HCT126AN/AD	MC74HCT126AN/AD	Quad 3-State Buffer	DIP-14, SOP-14
IN74HCT132AN/AD	MC74HCT132AN/AD	Quad 2-Input NAND Schmitt-Trigger Inverter	DIP-14, SOP-14
IN74HCT138AN/AD	MC74HCT138AN/AD	3-8 Decoder/Demultiplexer	DIP-16, SOP-16
IN74HCT139AN/AD	MC74HCT139AN/AD	Dual 2-4 Decoder/Demultiplexer	DIP-16, SOP-16
IN74HCT151AN/AD	MC74HCT151AN/AD	8-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74HCT153AN/AD	MC74HCT153AN/AD	Dual 4-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74HCT155AN/AD	MM74HCT155AN/AD	Dual 2-4 Decoder/Demultiplexer	DIP-16, SOP-16
IN74HCT157AN/AD	MC74HCT157AN/AD	Quad 2-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74HCT163AN/AD	MC74HCT163AN/AD	4-Bit Synchronous Binary Counter, Synchronous Reset	DIP-16, SOP-16
IN74HCT164AN/AD	MC74HCT164AN/AD	8-Bit Serial-in Parallel-Out Shift Register	DIP-14, SOP-14
IN74HCT165AN/AD	MC74HCT165AN/AD	8-Bit Parallel-in Serial-Out Shift Register	DIP-16, SOP-16
IN74HCT174AN/AD	MC74HCT174AN/AD	Hex D-Type Flip-Flop	DIP-16, SOP-16
IN74HCT240AN/ADW	MC74HCT240AN/AD	Octal Buffer/Line Driver, INV (3-State)	DIP-20, SOP-20
IN74HCT241AN/ADW	MC74HCT241AN/AD	Octal Buffer/Line Driver, NINV (3-State)	DIP-20, SOP-20
IN74HCT244AN/ADW	MC74HCT244AN/AD	Octal Buffer/Line Driver NINV (3-State)	DIP-20, SOP-20
IN74HCT245AN/ADW	MC74HCT245AN/AD	Octal Bus Transceiver, NINV (3-State)	DIP-20, SOP-20
IN74HCT251AN/AD	MC74HCT251AN/AD	8-1 Data Selector/Multiplexer, INV (3-State)	DIP-16, SOP-16
IN74HCT273AN/ADW	MC74HCT273AN/AD	Octal D-Type Flip-Flop	DIP-20, SOP-20
IN74HCT279AN/AD	MC74HCT279AN/AD	Quad Set/Reset Latch	DIP-16, SOP-16
IN74HCT283AN/AD	CD74HCT283AN/AD	4-Bit Adder	DIP-16, SOP-16
IN74HCT299AN/AD	MC74HCT299AN/AD	8-Bit Universal Shift/Storage Register (3-State)	DIP-20, SOP-20
IN74HCT323AN/AD	MC74HCT323AN/AD	8-Bit Universal Shift/Storage Register (3-State)	DIP-20, SOP-20
IN74HCT373AN/ADW	MC74HCT373AN/AD	Octal D-Type Latch (3-State)	DIP-20, SOP-20
IN74HCT374AN/ADW	MC74HCT374AN/AD	Octal D-Type Flip-Flop (3-State)	DIP-20, SOP-20
IN74HCT573AN/ADW	MC74HCT573AN/AD	Octal Transparent Latch (3-State)	DIP-20, SOP-20
IN74HCT574AN/ADW	MC74HCT574AN/AD	Octal D-Type Flip-Flop, NINV (3-State)	DIP-20, SOP-20
IN74HCT620AN/DW	SN74HCT620AN/D	Octal Bidirectional Bus Transceiver, INV	DIP-20, SOP-20
IN74HCT623AN/DW	own	Octal Bidirectional Bus Transceiver, NINV	DIP-20, SOP-20
IN74HCT640AN/ADW	own	Octal Bus Transceiver (3-State)	DIP-20, SOP-20
IN74HCT874AN/ADW	MC74HCT874AN/AD	Dual 4-Bit D-Type Flip-Flop	DIP-24, SOP-24

Standard Logic

IN74XXX Series

TTL

Device	Pin to Pin Compatibility	Function	Package
IN7406N/D	SN7406N/D	Hex Inverter/Buffer with High-Voltage Output, OC	DIP-14, SOP-14
IN7407N/D	SN7407N/D	Hex Buffer with High Voltage Output, OC	DIP-14, SOP-14

IN74LSXXX Series

LS

Device	Pin to Pin Compatibility	Function	Package
IN74LS04N/D	own	Hex Inverter	
IN74LS05N/D	CD74LS05N/D	Hex Inverter, OC	DIP-14, SOP-14
IN74LS06N/D	CD74LS06N/D	Hex Inverter/Buffer with High-Voltage Output, OC	DIP-14, SOP-14
IN74LS07N/D	CD74LS07N/D	Hex Buffer with High-Voltage Output, OC, 30 V	DIP-14, SOP-14
IN74LS14N/D	CD74LS14N/D	Hex Schmitt-Trigger Inverter	DIP-14, SOP-14
IN74LS86N/D	CD74LS86N/D	Quad 2-Input Exclusive-OR Gate	DIP-14, SOP-14
IN74LS138N/D	CD74LS138N/D	3-8 Decoder/Demultiplexer	DIP-16, SOP-16
IN74LS157N/D	CD74LS157N/D	Quad 2-1 Data Selector/Multiplexer	DIP-16, SOP-16
IN74LS161AN/AD	CD74LS161AN/AD	4-Bit Binary Counter	DIP-16, SOP-16
IN74LS164N/D	CD74LS164N/D	8-Bit Parallel-Out Shift Register	DIP-14, SOP-14
IN74LS244N/DW	CD74LS244ND,W	Octal Buffer/Line Driver, NINV (3-State)	DIP-20, SOP-20
IN74LS245N/DW	CD74LS245N/DW	Octal Bus Transceiver, NINV (3-State)	DIP-20, SOP-20

Deliver Value and Customer Satisfaction



(8F, HANSSEM-Sangam) 179, Seongam-ro,
Mapo-gu, Seoul, 03929, Rep. of KOREA
TEL. +82-2-3152-7090 FAX. +82-2-3152-7095

www.iksemi.com

Contact Point

sales@iksemi.com