









Battery Holders

KLS5-18650-001

NOTE:

- 1.Type:Base Material: PP Resin,Black
- 2.Flammability Rating: UL94-HB or Custom Made
- 3.Temperature Range: -10°C to 100°C
- 4.PC Pins: Ø0.8*28mm,Brass,Nickel Plated
- 5.Spring: 1.0mm 65C Spring Wire,Nickel Plated
- 6.Rivets: Brass,Nickel Plated
- 7.RoHS COMPLIANT



ORDER INFORMATION

Product NO.: KLS5- 18650 - 001- D

Pos. NO.
18650 Battery Holder Case Box

TYPE:
A:With Soldered Lug
B:With wire L=15cm or other
C:With 6 prong snap
D: With PC Pins








Battery Holders

KLS5-18650-001

NOTE:

- 1.Base Material: PP Resin,Black
- 2.Flammability Rating: UL94-HB or Custom Made
- 3.Temperature Range: -10°C to 100°C
- 4.Solder Lugs: Brass,Nickel Plated
- 5.Spring: 1.0mm 65C Spring Wire,Nickel Plated
- 6.Rivets: Brass,Nickel Plated
- 7.RoHS COMPLIANT



ORDER INFORMATION

Product NO.: KLS5- 18650 - 001- A



- TYPE:
- A:With Soldered Lug
 - B:With wire L=15cm or other
 - C:With 6 prong snap
 - D: With PC Pins






Battery Holders

KLS5-18650-001

NOTE:

- 1.Base Material: PP Resin,Black
- 2.Flammability Rating: UL94-HB or Custom Made
- 3.Temperature Range: -10°C to 100°C
- 4.Wire: UL1007 24 AWG,300V,80°C
150±5mm,Strip and Tin 5±1mm
- 5.Spring: 1.0mm 65C Spring Wire,Nickel Plated
- 6.Rivets: Brass,Nickel Plated
- 7.RoHS COMPLIANT



ORDER INFORMATION

Product NO.: KLS5- 18650 - 001- B

Pos. NO. _____
18650 Battery Holder Case Box

TYPE:
A:With Soldered Lug
B:With wire L=15cm or other
C:With 6 prong snap
D: With PC Pins